

Lip & Cheek Tint (Rosy Red)

PHC-PF-21-051-000

All natural lip & cheek tint formulation, a small spot is enough to give instant natural bloom to your face and cheeks. Made with the goodness of coconut and natural ingredients.

Phase	Ingredient	INCI	Function	%
A1	Beeswax	<i>Cera alba</i>	Thickener	36.00
A2	Cocopure® SP501	Cocoglycerides (and) Cera alba (and) Euphorbia cerifera	Skin Protectant	11.00
A3	Cocopure® EMOL 500	Cocoglycerides	Emollient	45.60
B1	Titanium Dioxide	Titanium Dioxide	Pigment	3.30
B2	Red Iron (CI 77491)	Iron Oxide (CI 77491)	Pigment	2.50
B3	Yellow Iron Oxide (CI 77492)	Iron Oxide (CI 77492)	Pigment	0.15
B4	Black Iron Oxide (CI 77499)	Iron Oxide (CI 77499)	Pigment	0.35
C1	Vitamin E	Tocopheryl Acetate	Antioxidant	0.10
C2	Tapioca Starch	Tapioca Starch	Mattifying Agent	1.00
TOTAL				100.00

Formulation Benefits

- ✓ Moisturizing
- ✓ Easy to apply on skin
- ✓ Does not build up on skin
- ✓ All natural formulation

Key Ingredients

COCOPURE® SP501

- ✓ Moisturizing
- ✓ Wide range application
- ✓ ISO-16128 : 98%



COCOPURE® EMOL 500

- ✓ Moisturizing
- ✓ Easy to apply on skin
- ✓ Light & not tacky
- ✓ Improves shine



Raw material verified by ECOCERT GREENLIFE, conform to the COSMOS Standard

Chemrez does not make any representation, extend any warranty, express or implied, or assume any responsibilities whatsoever with respect to the completeness, utility or accuracy of any or all samples, data, formulations and information (collectively referred to as "Materials") provided herein; merchantability or fitness for a particular purpose; or the freedom from infringement of any third party intellectual property rights by your use of the Materials. All Materials provided herein are the property of Chemrez and considered confidential.

CHEMREZ TECHNOLOGIES, INC.

65 Calle Industria, Bagumbayan, Quezon City, 1110, Philippines

☎ (+632) 8635 0680 📞 (+632) 8635 0703 ✉ info@chemrez.com 🏠 www.chemrez.com



Procedure

- 1 In an appropriate container, melt beeswax at 70°C.

- 2 Add **COCOPURE® SP501** and **COCOPURE® EMOL500** and mix until homogenous while maintaining a temperature of 60 – 70°C.

- 3 Add intended pigments. Mix until homogenous.

- 4 Remove from heat. At 40°C, add vitamin E and tapioca starch. Mix until homogenous.

- 5 Add to intended packaging while hot.





Specification

Appearance	Solid Wax
Color	Reddish Brown

Chemrez does not make any representation, extend any warranty, express or implied, or assume any responsibilities whatsoever with respect to the completeness, utility or accuracy of any or all samples, data, formulations and information (collectively referred to as “Materials”) provided herein; merchantability or fitness for a particular purpose; or the freedom from infringement of any third party intellectual property rights by your use of the Materials. All Materials provided herein are the property of Chemrez and considered confidential.

CHEMREZ TECHNOLOGIES, INC.

65 Calle Industria, Bagumbayan, Quezon City, 1110, Philippines

 (+632) 8635 0680  (+632) 8635 0703  info@chemrez.com  www.chemrez.com

